

Message

From: Rowsey, Kevin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FDD13C32A3E54246AEB75BD0D9018EDA-ROWSEY, KEV]
Sent: 7/8/2021 7:10:15 PM
To: Bailey, Lydia [bailey.lydia@epa.gov]
Subject: RE: For your review - FW: PLEASE READ: ELMS Data Due Monday, June 7
Attachments: 07072021 UIC countermeasure sheet.docx; July MBR Talking Points_UIC Metric.docx


Nonresponsive based on revised scope

Kevin Rowsey
Acting Chief
Source Water & UIC Section
Water Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
Phone: 215.814.5463

From: Bailey, Lydia <bailey.lydia@epa.gov>
Sent: Wednesday, July 07, 2021 8:05 AM
To: Rowsey, Kevin <rowsey.kevin@epa.gov>
Subject: FW: For your review - FW: PLEASE READ: ELMS Data Due Monday, June 7
Importance: High

Nonresponsive based on revised scope

Lydia Bailey
Program Analyst
Water Division, Immediate Office (3WD00)
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
Phone: (215) 814-5339
E-mail: bailey.lydia@epa.gov



From: Bryant, Renee <bryant.renee@epa.gov>
Sent: Thursday, June 03, 2021 4:51 PM
To: Bailey, Lydia <bailey.lydia@epa.gov>
Cc: Crumlish, Karen <Crumlish.Karen@epa.gov>
Subject: FW: For your review - FW: PLEASE READ: ELMS Data Due Monday, June 7
Importance: High

Nonresponsive based on revised scope

Renee Bryant (she/her)
Source Water Protection Team Lead
EPA Region 3
215-814-2137
<https://www.epa.gov/sourcewaterprotection>

From: Bailey, Lydia <bailey.lydia@epa.gov>
Sent: Tuesday, June 01, 2021 12:59 PM
To: Boylan, Jeff <Boylan.Jeffrey@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>; Howell, Amie <Howell.Amie@epa.gov>; Lapp, Jeffrey <lapp.jeffrey@epa.gov>; Magliocchetti, Catherine <magliocchetti.catherine@epa.gov>; Martinsen, Jessica <Martinsen.Jessica@epa.gov>; McGuigan, David <McGuigan.David@epa.gov>; Voigt, Gregory <Voigt.Gregory@epa.gov>; Bryant, Renee <bryant.renee@epa.gov>; Bennett, James <bennett.james@epa.gov>
Cc: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Schulingkamp, Joseph <Schulingkamp.Joseph@epa.gov>
Subject: PLEASE READ: ELMS Data Due Monday, June 7
Importance: High

Nonresponsive based on revised scope

Nonresponsive based on revised scope

Lydia Bailey
Program Analyst
Water Division, Immediate Office (3WD00)
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
Phone: (215) 814-5339
E-mail: bailey.lydia@epa.gov

